

## **FENNEC AN06320**

**FALL ARRESTERS ON ROPE** 

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 20 metres



### **Specific benefits**



#### Easy to use

· NFC system guarantees traceability

### **Applications**

- Building
- Finishing works / Craftsmanship
- Maintenance

### **Certifications and norms**



EN353-2

# **Protects against risks**









## **FENNEC AN06320**

**FALL ARRESTERS ON ROPE** 

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 20 metres

### **Standards - Details**

### **Technical details**

Color	White			
SIZE	20 m			
Composition of the main support	Steel, Stainless steel, Glass-fibre			
Lifespan from manufacturing	20 years			
Included elements	Wear indicator			
Ending	1 loop spliced on high end			
Weight	2,3 kg			
Type of equipment	Stranded rope			
Maximum rope diameter	12 mm			
Maximum rope diameter	0.4716 inch			
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure			







## **FENNEC AN06320**

### **FALL ARRESTERS ON ROPE**

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 20 metres

Logistics information										
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight		
AN06320	White	20 m	FENNEC AN06320	3660348004251	13660348004258	5	1	13.9 kg		



