



Fall protection

FENNEC AN06330

FALL ARRESTERS ON ROPE

Sliding fall arrester system already mounted on its rope which makes it easy to set it up for occasional users over a length of 30 metres



Specific benefits



Easy to use

· NFC system guarantees traceability

Applications

- Building
- Finishing works / Craftsmanship
- Maintenance

Certifications and norms



EN353-2

Protects against risks



Fall



Fall protection

FENNEC AN06330

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 30 metres

Standards - Details

Technical details

Type of equipment	Stranded rope
Composition of the main support	Steel, Stainless steel, Glass-fibre
Max. length	30
Maximum rope diameter	12 mm
Maximum rope diameter	0.4716 inch
Included elements	Wear indicator
Color	White-Black
SIZE	30 m
Ending	1 loop spliced on high end
Lifespan from manufacturing	20 years
Weight	3,4 kg
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure



Fall protection

FENNEC AN06330

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its rope which makes it easy to set it up for occasional users over a length of 30 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN06330	White-Black	30 m	FENNEC AN06330	3660348004268	13660348004265	5	1	18.9 kg