



Fall protection

# ASCORD AN065

## FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes



### Specific benefits



#### Visibility

· Visual fall indicator for instant verification that the product is working properly

### Applications

- Building
- Finishing works / Craftsmanship
- Chemical industry
- Automotive
- Oil & Gas (extraction)
- Petrochemical

### Certifications and norms



EN353-2

### Protects against risks



Fall



Fall protection

# ASCORD AN065

## FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes

### Standards - Details

### Technical details

Color	Steel
Composition of the main support	Stainless steel
Fastening	Automatic
Weight	0,764 kg
Type of equipment	Stranded rope
Maximum rope diameter	14 mm
Maximum rope diameter	0.5502 inch
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure



Fall protection

# ASCORD AN065

## FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN065	Steel	One size	ASCORD AN065	3295249237356	13295249237353	5	1	5.09 kg