



Fall protection

MICROBLOC AN106

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use on platforms, for short distances



Specific benefits



Comfort

- Double swivel for optimum user tracking



Hygiene

- Harnesses and textiles can be washed with neutral soap



Performance

- Certification above the maximum rated load of 100 kg; product certified at 140 kg



Easy to use

- Automatic carabiners for secure and time-saving locking
- NFC system guarantees traceability



Visibility

- Visual fall indicator for instant verification that the product is working properly

Certifications and norms

EN360

RFU 10.060
HORIZONTAL CERTIFICATION
RFU 11.062
140 KG



Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

Protects against risks



Fall



Fall protection

MICROBLOC AN106

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use on platforms, for short distances

Standards - Details

Technical details

Type of equipment	Cable reel
Composition of the main support	Glass-fibre, Polyester
Strap width	19,5 mm
ARA lenght	1,8 m
Included elements	Included energy absorber
Color	Black
Connector (user side)	Automatic lock hook, steel, opening 55mm
SIZE	1,8 m
Lifespan from manufacturing	10 years
Weight	1,46 kg
Maximum load for one person	140 kg
Fall arrest work situations	Vertical movement on a permanent structure, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
ARA lenght	70.8662 inch



Fall protection

MICROBLOC AN106

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use on platforms, for short distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN106	Black	1,8 m	MICROBLOC AN106	3295249254575	13295249254572	5	1	9.34 kg