



COBRA4 S3 SRC

HEAVY DUTY

Welding-specific high-cut shoe, standard 20349-2

Foot protection



Specific benefits



Comfort

- Shock-absorbing heel to relieve joint strain
- Padded tongue to reduce pressure points in the lacing area
- Dual-density outsole



Hygiene

- Removable insock for easy cleaning



Performance

- Sole designed to withstand contact heat up to 300°C
- Ladder side grip: sole design for good grip on ladders

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Automotive

Certifications and norms



EN ISO 20345

S3 HRO HI WRU FO A E SRC

EN ISO 20349-2

WG

Protects against risks



Antistatic



Heat



Shock



Slip



COBRA4 S3 SRC

HEAVY DUTY

Welding-specific high-cut shoe, standard 20349-2

Foot protection

Standards - Details

Technical details

Shoe type	High shoe
Anti-perforation insert	Stainless steel
Safety toe-cap	Stainless steel
Lining material	Textile, Polyester
Footbed material	EVA, Polyamide
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	NBR
Outsole finition	Injected
Size	36-48
Weight	726 g per shoe



COBRA4 S3 SRC

HEAVY DUTY

Welding-specific high-cut shoe, standard 20349-2

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
COBR4S3NO36	Black	36	COBRA4 S3 SRC	3295249233341	13295249233348	10	1	14.9 kg
COBR4S3NO37	Black	37	COBRA4 S3 SRC	3295249233358	13295249233355	10	1	15.1 kg
COBR4S3NO38	Black	38	COBRA4 S3 SRC	3295249233365	13295249233362	10	1	15.4 kg
COBR4S3NO39	Black	39	COBRA4 S3 SRC	3295249233372	13295249233379	10	1	15.9 kg
COBR4S3NO40	Black	40	COBRA4 S3 SRC	3295249233389	13295249233386	10	1	16.5 kg
COBR4S3NO41	Black	41	COBRA4 S3 SRC	3295249233396	13295249233393	10	1	17.1 kg
COBR4S3NO42	Black	42	COBRA4 S3 SRC	3295249233402	13295249233409	10	1	17.7 kg
COBR4S3NO43	Black	43	COBRA4 S3 SRC	3295249233419	13295249233416	10	1	18.6 kg
COBR4S3NO44	Black	44	COBRA4 S3 SRC	3295249233426	13295249233423	10	1	19.2 kg
COBR4S3NO45	Black	45	COBRA4 S3 SRC	3295249233433	13295249233430	10	1	19.7 kg
COBR4S3NO46	Black	46	COBRA4 S3 SRC	3295249233099	13295249233096	10	1	20.4 kg
COBR4S3NO47	Black	47	COBRA4 S3 SRC	3295249233440	13295249233447	10	1	21.1 kg
COBR4S3NO48	Black	48	COBRA4 S3 SRC	3295249233457	13295249233454	10	1	21.2 kg