



Head protection

DIAMOND VI WIND Yellow

SAFETY HELMETS

Safety helmet featuring a sporty design for upright and inverted wear for maximum versatility



Specific benefits



Comfort

- Vented helmet for breathability that allows comfortable extended wearing
- ABS for lighter weight and greater comfort
- Features 3 textiles straps with 8 fixing points for an optimal spread of weight
- Curved designed visor for an improved upward vision



Hygiene

- Replaceable headband for a better hygiene
- Removable brow pad washable and replaceable for a perfect hygiene solution

Certifications and norms



EN 397

MM
LD
-30°C +50°C



ANSI-ISEA Z89.1

TYPE 1
CLASS C

Technologies & labels

- D-ONE-ROTOR

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Chemical industry

Protects against risks



Shock



Head protection

DIAMOND VI WIND Yellow

SAFETY HELMETS

Safety helmet featuring a sporty design for upright and inverted wear for maximum versatility

Standards - Details

Technical details

Type of product	Helmet
Shell material	ABS
Textile harness	PA (Polyamide)
Head size	53-64 cm
Harness headband material	Polyethylene
Harness adjustment	Wheel ratchet
Ventilation	Vented
Main color	Yellow
Headdress points	8 points
Neckband material	Foam
Helmet peak	Standard
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Shield, Lens, Jugular, Basane, Ear protection, Mesh visor, Neck protector, Logo, Wheel-ratchet harness adjustment, Harness headdress
Mounting notch (for earmuffs fixation)	yes
Custom logo	Unavailable
Compatible product	Lens, Shield, Earmuffs
Weight	374 g
Lifespan from first use	48 months
Lifespan from manufacturing	84 months



Head protection

DIAMOND VI WIND

SAFETY HELMETS

Safety helmet featuring a sporty design for upright and inverted wear for maximum versatility

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------