

# **GRANITE PEAK Yellow**

**SAFETY HELMETS** 

Safety helmet for work at height with electrical insulation, made from ABS, equipped with a 3-point chinstrap



## **Certifications and norms**



#### EN 397

MM -20°C +50°C 440VAC



**EN 50365** CLASS 0

## **Specific benefits**



#### **Comfort**

- · ABS for lighter weight and greater comfort
- · Features 3 textiles straps with 8 fixing points for an optimal spread of weight
- $\cdot$  Adjustable headband , low or top, for a better position and increasing fit and comfort
- · Adjustable from 53 cm to 63 cm for optimum comfort
- · Visorless to improve upward vision



#### Hygiene

· Replaceable headband for a better hygiene

## **Technologies & labels**

· D-ONE-ROTOR

### **Applications**

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Public services
- Water and waste treatment

# **Protects against risks**













# **GRANITE PEAK Yellow**

**SAFETY HELMETS** 

Safety helmet for work at height with electrical insulation, made from ABS, equipped with a 3-point chinstrap

#### **Standards - Details**

#### **Technical details**

Type of product	Helmet		
Shell material	ABS		
Textile harness	PA (Polyamide)		
Head size	53-63 cm		
Harness headband material	Polyethylene		
Harness adjustment	Wheel ratchet		
Ventilation	Non vented		
Main color	Yellow		
Headdress points	8 points		
Neckband material	Polyester		
Helmet peak	None		
Jugular points	3 points		
Jugular chin	No chin		
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Shield, Lens, Basane, Ear protection, Mesh visor, Neck protector, Hood, Logo, Bonnet		
Mounting notch (for earmuffs fixation)	yes		
Integrated option	Jugular		
Custom logo	Unavailable		
Compatible product	Lens, Shield, Earmuffs		
Weight	350 g		
Lifespan from first use	60 months		
Lifespan from manufacturing	84 months		







# **GRANITE PEAK**

**SAFETY HELMETS** 

Safety helmet for work at height with electrical insulation, made from ABS, equipped with a 3-point chinstrap

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	



