



Head protection

GRANITE WIND Yellow

SAFETY HELMETS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap



Specific benefits

Comfort

- Vented helmet for breathability that allows comfortable extended wearing
- ABS for lighter weight and greater comfort
- Features 3 textiles straps with 8 fixing points for an optimal spread of weight
- Adjustable headband , low or top, for a better position and increasing fit and comfort
- Adjustable from 53 cm to 63 cm for optimum comfort
- Visorless to improve upward vision

Technologies & labels

- D-ONE-ROTOR

Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Power Energy**

Certifications and norms



EN 397

MM
-20°C +50°C

Protects against risks



Heat



Shock



Head protection

GRANITE WIND Yellow

SAFETY HELMETS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

Standards - Details

Technical details

Type of product	Specific helmet
Shell material	ABS
Textile harness	PA (Polyamide)
Head size	53-63 cm
Harness headband material	Polyethylene
Harness adjustment	Wheel ratchet
Ventilation	Vented
Main color	Yellow
Headdress points	8 points
Neckband material	EVA foam
Helmet peak	None
Jugular points	3 points
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Shield, Lens, Basane, Ear protection, Mesh visor, Neck protector, Logo, Wheel-ratchet harness adjustment
Mounting notch (for earmuffs fixation)	yes
Integrated option	Jugular
Custom logo	Unavailable
Compatible product	Lens, Shield, Earmuffs
Weight	368 g
Lifespan from first use	60 months
Lifespan from manufacturing	84 months



Head protection

GRANITE WIND

SAFETY HELMETS

Safety helmet for work at height, ventilated, made from ABS, equipped with a 3-point chinstrap

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------