



Fall protection

# HAA21

## FALL ARRESTER HARNESES

Two colour harness, 1 fall arrester anchorage (back). 5 adjustable buckles. 2 park lanyards.



### Specific benefits



#### Hygiene

· Harnesses and textiles can be washed with neutral soap



#### Easy to use

· Two-tone strap for easy harness fitting  
· NFC system guarantees traceability



#### Durability

· High webbing tenacity thanks to its weave and width



#### Visibility

· Visual fall indicator for instant verification that the product is working properly

### Certifications and norms

ANSI Z359.11-2014



### Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry

### Protects against risks



Fall



Fall protection

# HAA21

## FALL ARRESTER HARNESES

Two colour harness, 1 fall arrester anchorage (back). 5 adjustable buckles. 2 park lanyards.

### Standards - Details

### Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Steel, Polyester
Fastening	Buckles
Total number of attachment points for the fall arrester	1
Buckles	Manual loop
Anti-fall point	Dorsal
Color	Black-Yellow
Size	S, M, L , XL, XXL
Weight	1.5 kg
Number of manual buckles	5
Type of packaging	Box of 5
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Dorsal	1



Fall protection

# HAA21

## FALL ARRESTER HARNESES

Two colour harness, 1 fall arrester anchorage (back). 5 adjustable buckles. 2 park lanyards.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------