

HAA24

FALL ARRESTER HARNESSES

Two colour harness with positioning belt



Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry

Certifications and norms



ANSI Z359.11-2014

Protects against risks









HAA24

FALL ARRESTER HARNESSES

Two colour harness with positioning belt

Standards - Details

Technical details

Color	Black-Yellow				
Composition of the main support	Steel, Polyester				
Size	S, M, L , XL, XXL				
Total number of attachment points for the fall arrester	1				
Number of total holding attachment points	2				
Anti-fall point	Dorsal				
Holding point	Belt				
Fastening	Buckles				
Weight	2 kg				
Type of equipment	Fall arrester harness with belt				
Type of packaging	Box of 5				
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection				
Dorsal	1				
Belt	1				







HAA24

FALL ARRESTER HARNESSES

Two colour harness with positioning belt

Logistics information										
F	Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	



