



Fall protection

HAA26

FALL ARRESTER HARNESSSES

Two colour harness with positioning belt



Specific benefits



Easy to use

· NFC system guarantees traceability

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry

Certifications and norms

ANSI Z359.11-2014



Protects against risks



Fall



HAA26

FALL ARRESTER HARNESSSES

Two colour harness with positioning belt

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness with belt
Composition of the main support	Steel, Polyester
Fastening	Buckles
Total number of attachment points for the fall arrester	2
Number of total holding attachment points	2
Anti-fall point	Dorsal, Sternal
Holding point	Belt
Color	Black-Yellow
Size	S, M, L , XL, XXL
Weight	2 kg
Type of packaging	Box of 5
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Sternal	1
Dorsal	1



HAA26

FALL ARRESTER HARNESSSES

Two colour harness with positioning belt

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------