

HAR23H

FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 3 separate anchorage points



Certifications and norms

EN361

150 KG



Protects against risks



Specific benefits



Comfort

- · Specifically designed leg straps providing freedom of movement for long working days
- · Bavarian design adapted to the body shape of women and men



Hygiene

· Harnesses and textiles can be washed with neutral soap



Performance

 \cdot Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

- · Ergonomic design facilitating user movements
- · NFC system guarantees traceability

Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)







HAR23H

FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 3 separate anchorage points

Standards - Details

Technical details

Type of equipment	Fall arrester harness			
Composition of the main support	Steel, Polyester			
Fastening	Buckles			
Total number of attachment points for the fall arrester	2			
Buckles	Manual loop			
Anti-fall point	Dorsal, Sternal			
Color	Black			
Lifespan from manufacturing	10 years			
Weight	1,4 kg			
Number of manual buckles	5			
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection			
Sternal	2			
Dorsal	1			







HAR23H

FALL ARRESTER HARNESSES

Ergonomic harness for maximum freedom of movement with 3 separate anchorage points

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	



