

PUMA HAR25

FALL ARRESTER AND SUSPENSION HARNESSES

Harness designed for suspended rope work, it is the right compromise between comfort and price



Certifications and norms

EN361

150 KG



EN813

150 KG

EN358

150 KG

Specific benefits



Comfort

- \cdot Specifically designed leg straps providing freedom of movement for long working days
- ·Thermoformed belt for optimal lumbar support and comfort



Hygiene

· Harnesses and textiles can be washed with neutral soap



Performance

 \cdot Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

- · Ergonomic design facilitating user movements
- · NFC system guarantees traceability

Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Mining
- Petrochemical

Protects against risks









PUMA HAR25

FALL ARRESTER AND SUSPENSION HARNESSES

Harness designed for suspended rope work, it is the right compromise between comfort and price

Standards - Details

Technical details

| Type of equipment | Fall arrester harness with belt | | | |
|---|--|--|--|--|
| Composition of the main support | Steel, Polyester | | | |
| Fastening | Buckles | | | |
| Total number of attachment points for the fall arrester | 2 | | | |
| Nombre de points d'accroche de suspension | 1 | | | |
| Number of total holding attachment points | 2 | | | |
| Buckles | Manual loop | | | |
| Anti-fall point | Dorsal, Sternal | | | |
| Suspension point | Ventral | | | |
| Holding point | Belt | | | |
| Color | Black-Orange | | | |
| Comfort elements | Thermoformed back and shorts | | | |
| Lifespan from manufacturing | 10 years | | | |
| Weight | 2,1 kg | | | |
| Number of manual buckles | 6 | | | |
| Fall arrest work situations | Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement (less than 3 m), Long movement (less than 3 m), Long movement with multi connection /disconnection | | | |
| Sternal | 1 | | | |
| Dorsal | 1 | | | |
| Padding | Back, Belt, Leg, Shoulder | | | |







PUMA HAR25

FALL ARRESTER AND SUSPENSION HARNESSES

Harness designed for suspended rope work, it is the right compromise between comfort and price

| Logistics information | | | | | | | | | |
|-----------------------|--------|------|-------------|-------|----------|----------------|---------------|--------|--|
| Reference | Colour | Size | Designation | EAN13 | Box code | Multiple sales | Minimum sales | Weight | |



