



JET3 S1P SRC

CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Hygiene

- Removable insock for easy cleaning



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345
S1P FO A E SRC

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance

Protects against risks



Antistatic



Shock



Slip



Perforation



JET3 S1P SRC

CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection

Standards - Details

Technical details

Shoe type	Low shoe
Anti-perforation insert	Stainless steel
Safety toe-cap	Stainless steel
Lining material	Textile, Mesh polyamid
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	PU multi
Outsole finition	Injected
Size	36-48
Weight	678 g per shoe



JET3 S1P SRC

CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
JET3SPNO36	Black	36	JET3 S1P SRC	3295249241445	13295249241442	10	1	13.5 kg
JET3SPNO37	Black	37	JET3 S1P SRC	3295249241469	13295249241466	10	1	14.0 kg
JET3SPNO38	Black	38	JET3 S1P SRC	3295249241476	13295249241473	10	1	14.5 kg
JET3SPNO39	Black	39	JET3 S1P SRC	3295249241520	13295249241527	10	1	14.5 kg
JET3SPNO40	Black	40	JET3 S1P SRC	3295249241537	13295249241534	10	1	15.0 kg
JET3SPNO41	Black	41	JET3 S1P SRC	3295249241544	13295249241541	10	1	15.3 kg
JET3SPNO42	Black	42	JET3 S1P SRC	3295249241551	13295249241558	10	1	15.9 kg
JET3SPNO43	Black	43	JET3 S1P SRC	3295249241568	13295249241565	10	1	16.1 kg
JET3SPNO44	Black	44	JET3 S1P SRC	3295249241575	13295249241572	10	1	15.8 kg
JET3SPNO45	Black	45	JET3 S1P SRC	3295249241582	13295249241589	10	1	17.4 kg
JET3SPNO46	Black	46	JET3 S1P SRC	3295249241599	13295249241596	5	1	9.0 kg
JET3SPNO47	Black	47	JET3 S1P SRC	3295249241605	13295249241602	5	1	8.9 kg
JET3SPNO48	Black	48	JET3 S1P SRC	3295249241612	13295249241619	5	1	10.0 kg