



# JET3 S3 SRC

## CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection



### Specific benefits



#### Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



#### Hygiene

- Removable insock for easy cleaning



#### Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties

### Certifications and norms



EN ISO 20345

S3 WRU FO A E SRC

### Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance

### Protects against risks



Antistatic



Shock



Slip



Perforation



# JET3 S3 SRC

## CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection

### Standards - Details

### Technical details

Shoe type	Low shoe
Anti-perforation insert	Stainless steel
Safety toe-cap	Stainless steel
Lining material	Textile, Mesh polyamid
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	PU multi
Outsole finition	Injected
Size	36-48
Weight	570 g per shoe



# JET3 S3 SRC

## CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Safety footwear

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
JET3S3NO36	Black	36	JET3 S3 SRC	3295249242961	13295249242968	10	1	13.03 kg
JET3S3NO37	Black	37	JET3 S3 SRC	3295249243227	13295249243224	10	1	13.5 kg
JET3S3NO38	Black	38	JET3 S3 SRC	3295249243234	13295249243231	10	1	13.7 kg
JET3S3NO39	Black	39	JET3 S3 SRC	3295249243241	13295249243248	10	1	13.8 kg
JET3S3NO40	Black	40	JET3 S3 SRC	3295249243258	13295249243255	10	1	14.9 kg
JET3S3NO41	Black	41	JET3 S3 SRC	3295249243265	13295249243262	10	1	15.3 kg
JET3S3NO42	Black	42	JET3 S3 SRC	3295249243272	13295249243279	10	1	15.3 kg
JET3S3NO43	Black	43	JET3 S3 SRC	3295249243289	13295249243286	10	1	15.9 kg
JET3S3NO44	Black	44	JET3 S3 SRC	3295249243296	13295249243293	10	1	16.3 kg
JET3S3NO45	Black	45	JET3 S3 SRC	3295249243302	13295249243309	10	1	18.0 kg
JET3S3NO46	Black	46	JET3 S3 SRC	3295249243319	13295249243316	5	1	9.0 kg
JET3S3NO47	Black	47	JET3 S3 SRC	3295249243326	13295249243323	5	1	9.5 kg
JET3S3NO48	Black	48	JET3 S3 SRC	3295249243333	13295249243330	5	1	10.2 kg