



JUMPER3 S3 SRC

CONSTRUCTION

High-cut shoe with robust construction for optimum durability

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Hygiene

- Removable insock for easy cleaning



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345

S3 WRU FO A E SRC

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Manufacturing/Transformation
- Accommodation & Food services

Protects against risks



Antistatic



Shock



Slip



Perforation



JUMPER3 S3 SRC

CONSTRUCTION

High-cut shoe with robust construction for optimum durability

Foot protection

Standards - Details

Technical details

Shoe type	High shoe
Anti-perforation insert	Stainless steel
Safety toe-cap	Stainless steel
Lining material	Textile, Mesh polyamid
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	PU multi
Outsole finition	Injected
Size	36-48
Weight	582 g per shoe



JUMPER3 S3 SRC

CONSTRUCTION

High-cut shoe with robust construction for optimum durability

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
JUMP3S3NO36	Black	36	JUMPER3 S3 SRC	3295249241841	13295249241848	10	1	13.26 kg
JUMP3S3NO37	Black	37	JUMPER3 S3 SRC	3295249241865	13295249241862	10	1	13.56 kg
JUMP3S3NO38	Black	38	JUMPER3 S3 SRC	3295249241872	13295249241879	10	1	13.87 kg
JUMP3S3NO39	Black	39	JUMPER3 S3 SRC	3295249241889	13295249241886	10	1	14.19 kg
JUMP3S3NO40	Black	40	JUMPER3 S3 SRC	3295249241896	13295249241893	10	1	14.52 kg
JUMP3S3NO41	Black	41	JUMPER3 S3 SRC	3295249241902	13295249241909	10	1	16.0 kg
JUMP3S3NO42	Black	42	JUMPER3 S3 SRC	3295249241919	13295249241916	10	1	15.7 kg
JUMP3S3NO43	Black	43	JUMPER3 S3 SRC	3295249241926	13295249241923	10	1	16.05 kg
JUMP3S3NO44	Black	44	JUMPER3 S3 SRC	3295249241933	13295249241930	10	1	16.41 kg
JUMP3S3NO45	Black	45	JUMPER3 S3 SRC	3295249241940	13295249241947	10	1	16.78 kg
JUMP3S3NO46	Black	46	JUMPER3 S3 SRC	3295249241957	13295249241954	5	1	8.77 kg
JUMP3S3NO47	Black	47	JUMPER3 S3 SRC	3295249241964	13295249241961	5	1	8.97 kg
JUMP3S3NO48	Black	48	JUMPER3 S3 SRC	3295249241971	13295249241978	5	1	9.17 kg