

LA600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Easy to use

· Chlorinated interior for easy glove donning



Performance

· Extra thick and long for extra protection of the entire arm

Certifications and norms





EN ISO 374-5



EN ISO 374-1

TYPE A
A (METHANOL)K (SODIUM HYDROXIDE 40%)L
(SULPHURIC ACID 96%)M (NITRIC ACID 65%)N
(ACETIC ACID 99%)O (AMMONIUM HYDROXIDE
25%)P (HYDROGEN PEROXIDE 30%)T
(FORMALDEHYDE 37%)



EN 407

X1XXXX

Applications

- Agriculture
- Public works
- Building
- Manufacturing/Transformation
- Maintenance
- Chemical industry

Protects against risks













Hand protection

LA600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374

A (METHANOL) : MÉTHANOL K (SODIUM HYDROXIDE 40%) : SODIUM HYDROXIDE 40%

L (SULPHURIC ACID 96%) : SULPHURIC ACID 96%

M (NITRIC ACID 65%): NITRIC ACID 65% N (ACETIC ACID 99%): ACETIC ACID 99% O (AMMONIUM HYDROXIDE 25%): AMMONIUM HYDROXIDE 25%

P (HYDROGEN PEROXIDE 30%) : HYDROGEN PEROXIDE 30%

T (FORMALDEHYDE 37%) : FORMALDEHYDE 37%

Technical details

Glove kind	Tight glove				
Glove family	Tight glove unsupported powder free				
Tight glove kind	Unsupported				
Inner finition	Powder free Smooth latex Fully coated				
Coating material and finition					
Coating level					
Number of layer	Single layer				
Thickness	1,15 mm				
Arm level protection	Shoulder cuff (> 500mm)				
Color	Black				
Size	10, 11				
Type of packaging	Sold individually				







LA600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids

		Logistics information						
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight



