



Hand protection

LAT50

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Extra thick and long for extra protection of the entire arm

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Manufacturing/Transformation
- Maintenance

Certifications and norms



EN ISO 374-5



EN ISO 374-1

TYPE A
A (METHANOL)K (SODIUM HYDROXIDE 40%)L
(SULPHURIC ACID 96%)M (NITRIC ACID 65%)N
(ACETIC ACID 99%)P (HYDROGEN PEROXIDE
30%)T (FORMALDEHYDE 37%)



EN 407

X 1 X X X X

Protects against risks



Heat



Biological



Wearing



Chemical



Hand protection

LAT50

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A (METHANOL) : MÉTHANOL
K (SODIUM HYDROXIDE 40%) : SODIUM HYDROXIDE 40%
L (SULPHURIC ACID 96%) : SULPHURIC ACID 96%
M (NITRIC ACID 65%) : NITRIC ACID 65%
N (ACETIC ACID 99%) : ACETIC ACID 99%
P (HYDROGEN PEROXIDE 30%) : HYDROGEN PEROXIDE 30%
T (FORMALDEHYDE 37%) : FORMALDEHYDE 37%

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	Latex grip textured
Coating level	Fully coated
Number of layer	Single layer
Thickness	1,80 mm
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Vendor pack
Color	Green
Size	7, 8, 9, 10, 11
Type of packaging	Sold individually



Safety gloves

LAT50

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------