



Fall protection

# LV106

## ANCHORAGE DEVICES

Swivel anchor for vertical or horizontal installation



### Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

### Certifications and norms

EN 795

TYPE A

### Protects against risks



Fall



# LV106

## ANCHORAGE DEVICES

Swivel anchor for vertical or horizontal installation

Fall protection

### Standards - Details

### Technical details

Type of equipment	Swivel anchorage point
Composition of the main support	Stainless steel
Color	Steel
SIZE	One size
Lifespan from manufacturing	20 years
Weight	0,100 kg
Resistance	12kN
Fall arrest work situations	Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)



# LV106

## ANCHORAGE DEVICES

Swivel anchor for vertical or horizontal installation

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------