



PHOCEA S3 SRC

UTILITIES

Foot protection

Non-magnetic low-cut shoe with robust construction, due to its quadruple stitching



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Hygiene

- Removable insock for easy cleaning



Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345

S3 WRU FO A E SRC

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry

Protects against risks



Antistatic



Shock



Slip



Perforation



PHOCEA S3 SRC

UTILITIES

Foot protection

Non-magnetic low-cut shoe with robust construction, due to its quadruple stitching

Standards - Details

Technical details

Shoe type	Low shoe
Anti-perforation insert	Metal free
Safety toe-cap	Composite
Lining material	Textile, Mesh polyamid
Footbed material	EVA, Polyamide
Footbed characteristic	Removable, Pre-molded
Outsole material	PU multi
Outsole finition	Injected
Size	36-47
Size	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
Weight	570 g per shoe



Safety footwear

PHOCEA S3 SRC

UTILITIES

Non-magnetic low-cut shoe with robust construction, due to its quadruple stitching

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
PHOCES3NO36	Black	36	PHOCEA S3 SRC	3295249195762	13295249195769	5	1	6.7 kg
PHOCES3NO37	Black	37	PHOCEA S3 SRC	3295249195779	13295249195776	5	1	6.8 kg
PHOCES3NO38	Black	38	PHOCEA S3 SRC	3295249195793	13295249195790	5	1	7.1 kg
PHOCES3NO39	Black	39	PHOCEA S3 SRC	3295249195809	13295249195806	5	1	7.3 kg
PHOCES3NO40	Black	40	PHOCEA S3 SRC	3295249195816	13295249195813	5	1	7.4 kg
PHOCES3NO41	Black	41	PHOCEA S3 SRC	3295249195823	13295249195820	5	1	7.7 kg
PHOCES3NO42	Black	42	PHOCEA S3 SRC	3295249195830	13295249195837	5	1	8.0 kg
PHOCES3NO43	Black	43	PHOCEA S3 SRC	3295249195847	13295249195844	5	1	8.4 kg
PHOCES3NO44	Black	44	PHOCEA S3 SRC	3295249195854	13295249195851	5	1	8.8 kg
PHOCES3NO45	Black	45	PHOCEA S3 SRC	3295249195861	13295249195868	5	1	9.3 kg
PHOCES3NO46	Black	46	PHOCEA S3 SRC	3295249195878	13295249195875	5	1	9.45 kg
PHOCES3NO47	Black	47	PHOCEA S3 SRC	3295249195885	13295249195882	5	1	9.4 kg