



Hand protection

PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use



Specific benefits



Performance

- Extra thick and long for extra protection of the entire arm

Applications

- Building
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining
- Petrochemical

Certifications and norms



EN 388
4 1 3 1 X



EN ISO 374-5



EN ISO 374-1

TYPE B
A (METHANOL)K (SODIUM HYDROXIDE 40%)L
(SULPHURIC ACID 96%)

Protects against risks



Biological



Wearing



Chemical



Particules



Hand protection

PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A (METHANOL) : MÉTHANOL
K (SODIUM HYDROXIDE 40%) : SODIUM HYDROXIDE 40%
L (SULPHURIC ACID 96%) : SULPHURIC ACID 96%

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	pvc smooth
Coating level	Fully coated
Number of layer	Single layer
Thickness	1,20 -> 1,40 mm
Arm level protection	Elbow cuff (<= 500mm)
Benefits element	Reach, Long cuff (>290mm)
Color	Red
Size	10
Type of packaging	Sold individually



Safety gloves

PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
PVCC40010	Red	10	PVCC400	3295249134396	13295249134393	120	12	40.16 kg