



Hand protection

PVCC600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the entire arm from oils and hydrocarbons in prolonged use



Specific benefits



Performance

- Extra thick and long for extra protection of the entire arm

Applications

- Building
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining
- Petrochemical

Certifications and norms



EN 388
4 1 3 1 X



EN ISO 374-5



EN ISO 374-1

TYPE B
A (METHANOL)K (SODIUM HYDROXIDE 40%)L
(SULPHURIC ACID 96%)

Protects against risks



Biological



Wearing



Chemical



Particules



Hand protection

PVCC600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the entire arm from oils and hydrocarbons in prolonged use

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A (METHANOL) : MÉTHANOL
K (SODIUM HYDROXIDE 40%) : SODIUM HYDROXIDE 40%
L (SULPHURIC ACID 96%) : SULPHURIC ACID 96%

Technical details

Color	Red
Tight glove kind	Supported
Coating material and finition	pvc smooth
Size	10
Glove family	Tight glove supported
Coating level	Fully coated
Thickness	1,20 mm
Number of layer	Single layer
Type of packaging	Sold individually
Arm level protection	Shoulder cuff (> 500mm)
Benefits element	Reach, Long cuff (>290mm)
Glove kind	Tight glove



Safety gloves

PVCC600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the entire arm from oils and hydrocarbons in prolonged use

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
PVCC60010	Red	10	PVCC600	3295249134402	13295249134409	60	6	29.85 kg