

PVCGRIP35

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove combining comfort, full arm protection, good grip on objects handled for resistance to oils and hydrocarbons



Specific benefits



Hygiene

· Reduces perspiration thanks to its excellent breathability

Applications

- Public works
- Building
- Maintenance
- Chemical industry
- Automotive
- Petrochemical

Certifications and norms





EN ISO 374-5



EN ISO 374-1

TYPE C K (SODIUM HYDROXIDE 40%)N (ACETIC ACID 99%)

Protects against risks













PVCGRIP35

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove combining comfort, full arm protection, good grip on objects handled for resistance to oils and hydrocarbons

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 3 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374

K (SODIUM HYDROXIDE 40%) : SODIUM HYDROXIDE 40% N (ACETIC ACID 99%) : ACETIC ACID 99%

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	PVC double layer
Coating level	Fully coated
Number of layer	Double Layer
Thickness	0,90 mm
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach
Color	Green
Size	9, 10
Type of packaging	Sold individually







PVCGRIP35

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove combining comfort, full arm protection, good grip on objects handled for resistance to oils and hydrocarbons

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
PVCGRIP35VE09	Green	09	PVCGRIP35	3295249187712	13295249187719	120	12	28.0 kg	
PVCGRIP35VE10	Green	10	PVCGRIP35	3295249187729	13295249187726	120	12	30.0 kg	



