



Head protection

QUARTZ UP IV Green

SAFETY HELMETS

Ventilated safety helmet with short visor equipped with rotor system for easy adjustment



Specific benefits

Comfort

- Vented helmet for breathability that allows comfortable extended wearing
- Features 3 textiles straps with 8 fixing points for an optimal spread of weight
- Adjustable headband , low or top, for a better position and increasing fit and comfort
- Adjustable from 53 cm to 63 cm for optimum comfort

Hygiene

- Replaceable headband for a better hygiene
- Replaceable suspension for a better hygiene

Technologies & labels

- D-ONE-ROTOR

Applications

- **Agriculture**
- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Public services**
- **Water and waste treatment**

Certifications and norms



EN 397

MM
-30°C +50°C

Protects against risks



Shock



Head protection

QUARTZ UP IV Green

SAFETY HELMETS

Ventilated safety helmet with short visor equipped with rotor system for easy adjustment

Standards - Details

Technical details

Type of product	Helmet
Shell material	Polypropylene
Textile harness	PA (Polyamide)
Head size	53-63 cm
Harness headband material	Polyethylene
Harness adjustment	Wheel ratchet
Ventilation	Vented
Main color	Green
Headdress points	8 points
Neckband material	Polyester
Helmet peak	Micro
Availables or replacement accessories	Badge holder, Reflective strip, Perspiration headband, Lens, Jugular, Basane, Ear protection, jJgular with chin, Mesh visor, Neck protector, Hood, Logo, Wheel-ratchet harness adjustment
Mounting notch (for earmuffs fixation)	yes
Custom logo	Unavailable
Compatible product	Lens, Shield, Earmuffs
Weight	350 g
Lifespan from first use	36 months
Lifespan from manufacturing	60 months



Head protection

QUARTZ UP IV

SAFETY HELMETS

Ventilated safety helmet with short visor equipped with rotor system for easy adjustment

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------