



Fall protection

# RAH33

## FALL ARRESTER HARNESSSES

Head down harness for descending head down in confined spaces



### Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining

### Certifications and norms

EN1498  
EN1498-C

EN361



### Protects against risks



Fall



Fall protection

# RAH33

## FALL ARRESTER HARNESSSES

Head down harness for descending head down in confined spaces

### Standards - Details

### Technical details

Type of equipment	Head down harness
Adjustment	Adjustment loop
Total number of attachment points for the fall arrester	2
Anti-fall point	Dorsal, Sternal
Included elements	With rescue sling
Color	Black-Orange
Lifespan from manufacturing	10 years
Weight	2 kg
Number of manual buckles	7
Fall arrest work situations	Rescue and evacuation
Sternal	1
Dorsal	1



# RAH33

## FALL ARRESTER HARNESSES

Head down harness for descending head down in confined spaces

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
RAH33GT	Black-Orange	S/M/L	RAH33	3295249193775	13295249193772	5	1	12.3 kg