



SIMBA S3 SRC Black

UTILITIES

Foot protection



Specific benefits



Comfort

- Dual-density outsole



Hygiene

- Removable insock for easy cleaning



Performance

- Sole designed to withstand contact heat up to 300°C
- High stability ensured by the sole's grip properties

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance

Certifications and norms



EN ISO 20345

S3 HRO WRU FO A E SRC

Protects against risks



Antistatic



Heat



Shock



Slip



SIMBA S3 SRC Black

UTILITIES

Foot protection

Standards - Details

Technical details

| | |
|-----------------------------|-----------------|
| Shoe type | High shoe |
| Anti-perforation insert | Stainless steel |
| Upper material and finition | Split Leather |
| Safety toe-cap | Stainless steel |
| Lining material | Textile |
| Lining material finition | Breathable |
| Footbed material | Textile |
| Footbed caracteristic | Removable |
| Outsole material | NBR |
| Outsole finition | Injected |
| Weight | 650 g per shoe |



SIMBA S3 SRC

UTILITIES

Safety footwear

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | Multiple sales | Minimum sales | Weight |
|-------------|--------|------|--------------|---------------|----------------|----------------|---------------|---------|
| SIMBAS3NO36 | Black | 36 | SIMBA S3 SRC | 3295249230173 | 13295249230170 | 10 | 1 | 14.0 kg |
| SIMBAS3NO37 | Black | 37 | SIMBA S3 SRC | 3295249230180 | 13295249230187 | 10 | 1 | 14.0 kg |
| SIMBAS3NO38 | Black | 38 | SIMBA S3 SRC | 3295249206406 | 13295249206403 | 10 | 1 | 14.0 kg |
| SIMBAS3NO39 | Black | 39 | SIMBA S3 SRC | 3295249206413 | 13295249206410 | 10 | 1 | 14.0 kg |
| SIMBAS3NO40 | Black | 40 | SIMBA S3 SRC | 3295249206420 | 13295249206427 | 10 | 1 | 14.0 kg |
| SIMBAS3NO41 | Black | 41 | SIMBA S3 SRC | 3295249206437 | 13295249206434 | 10 | 1 | 14.0 kg |
| SIMBAS3NO42 | Black | 42 | SIMBA S3 SRC | 3295249206444 | 13295249206441 | 10 | 1 | 14.0 kg |
| SIMBAS3NO43 | Black | 43 | SIMBA S3 SRC | 3295249206451 | 13295249206458 | 10 | 1 | 15.0 kg |
| SIMBAS3NO44 | Black | 44 | SIMBA S3 SRC | 3295249206468 | 13295249206465 | 10 | 1 | 15.0 kg |
| SIMBAS3NO45 | Black | 45 | SIMBA S3 SRC | 3295249206475 | 13295249206472 | 10 | 1 | 15.0 kg |
| SIMBAS3NO46 | Black | 46 | SIMBA S3 SRC | 3295249206482 | 13295249206489 | 10 | 1 | 15.0 kg |
| SIMBAS3NO47 | Black | 47 | SIMBA S3 SRC | 3295249206499 | 13295249206496 | 10 | 1 | 15.0 kg |
| SIMBAS3NO48 | Black | 48 | SIMBA S3 SRC | 3295249206505 | 13295249206502 | 10 | 1 | 15.0 kg |
| SIMBAS3MA37 | Brown | 37 | SIMBA S3 SRC | 3295249241315 | 13295249241312 | 10 | 1 | 14.0 kg |
| SIMBAS3MA38 | Brown | 38 | SIMBA S3 SRC | 3295249206512 | 13295249206519 | 10 | 1 | 14.0 kg |
| SIMBAS3MA39 | Brown | 39 | SIMBA S3 SRC | 3295249206529 | 13295249206526 | 10 | 1 | 14.0 kg |
| SIMBAS3MA40 | Brown | 40 | SIMBA S3 SRC | 3295249206536 | 13295249206533 | 10 | 1 | 14.0 kg |
| SIMBAS3MA41 | Brown | 41 | SIMBA S3 SRC | 3295249206543 | 13295249206540 | 10 | 1 | 14.0 kg |
| SIMBAS3MA42 | Brown | 42 | SIMBA S3 SRC | 3295249206550 | 13295249206557 | 10 | 1 | 14.0 kg |
| SIMBAS3MA43 | Brown | 43 | SIMBA S3 SRC | 3295249206567 | 13295249206564 | 10 | 1 | 15.0 kg |
| SIMBAS3MA44 | Brown | 44 | SIMBA S3 SRC | 3295249206574 | 13295249206571 | 10 | 1 | 15.0 kg |
| SIMBAS3MA45 | Brown | 45 | SIMBA S3 SRC | 3295249206581 | 13295249206588 | 10 | 1 | 15.0 kg |
| SIMBAS3MA46 | Brown | 46 | SIMBA S3 SRC | 3295249206598 | 13295249206595 | 10 | 1 | 15.0 kg |
| SIMBAS3MA47 | Brown | 47 | SIMBA S3 SRC | 3295249206604 | 13295249206601 | 10 | 1 | 15.0 kg |
| SIMBAS3MA48 | Brown | 48 | SIMBA S3 SRC | 3295249206611 | 13295249206618 | 10 | 1 | 15.0 kg |