

Fall protection

DESCORD TC006

ROPE ACCESS WORK

Self-locking descender on a rope allowing controlled descent, owing to its antipanic system



Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

Certifications and norms

CE

EN 12841 TYPE C

EN341

CLASS A

Protects against risks





enjoy ?

Edit 13/11/2023 www.deltaplus.eu



DESCORD TC006

ROPE ACCESS WORK

panic system

Fall protection

Standards - Details

Technical details

Self-locking descender on a rope allowing controlled descent, owing to its anti-

| Type of equipment | Self-locking descender |
|---------------------------------|---|
| Composition of the main support | Aluminum |
| Color | Black |
| SIZE | One size |
| Lifespan from manufacturing | 20 years |
| Weight | 0,360 kg |
| Fall arrest work situations | Rescue and evacuation, Long vertical movement or movement on inclined surface for rope access work |



enjoy so

Edit 13/11/2023 www.deltaplus.eu



Fall protection

DESCORD TC006

ROPE ACCESS WORK

Self-locking descender on a rope allowing controlled descent, owing to its

anti-panic system

| Logistics information | | | | | | | | | |
|-----------------------|--------|----------|---------------|---------------|----------------|-------------------|------------------|----------|--|
| Reference | Colour | Size | Designation | EAN13 | Box code | Multiple sales | Minimum sales | Weight | |
| TC006 | Black | One size | DESCORD TC006 | 3660348009065 | 13660348009062 | 50 | 1 | 25.35 kg | |



enjoy so

29/12/2023 www.deltaplus.eu