



Fall protection

TRA22

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, with 2 support plates, light and easy to install for all types of work in confined spaces



Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining

Certifications and norms



EN 795
TYPE B

TS16415
3

Protects against risks



Fall



Fall protection

TRA22

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

Standards - Details

Technical details

Type of equipment	Telescopic tripod
Anchoring device	Tripod head
Composition of the main support	Aluminum
Color	Aluminium-coloured
SIZE	Adjustable
Lifespan from manufacturing	20 years
Weight	17,4 kg
Wheelbase on ground	1,89 m
Fall arrest work situations	Rescue and evacuation, Vertical movement, confined space
Not included	TRA102 adjuster plate, TRA103 step



Fall protection

TRA22

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
TRA22	Aluminium-coloured	Adjustable	TRA22	3295249194093	13295249194090	1	1	23.75 kg