



Hand protection

VENIPRO VE450

WORK WITH PROLONGED CHEMICAL RESISTANCE

Thick chemical glove, ideal for heavy handling



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Lightweight for optimal dexterity

Applications

- Public works
- Building
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining

Certifications and norms



EN ISO 374-5



EN ISO 374-1

TYPE A
 A (METHANOL)K (SODIUM HYDROXIDE 40%)L
 (SULPHURIC ACID 96%)M (NITRIC ACID 65%)N
 (ACETIC ACID 99%)O (AMMONIUM HYDROXIDE
 25%)P (HYDROGEN PEROXIDE 30%)T
 (FORMALDEHYDE 37%)



Protects against risks



Biological



Wearing



Chemical



Particules



Hand protection

VENIPRO VE450

WORK WITH PROLONGED CHEMICAL RESISTANCE

Thick chemical glove, ideal for heavy handling

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A (METHANOL) : MÉTHANOL
K (SODIUM HYDROXIDE 40%) : SODIUM HYDROXIDE 40%
L (SULPHURIC ACID 96%) : SULPHURIC ACID 96%
M (NITRIC ACID 65%) : NITRIC ACID 65%
N (ACETIC ACID 99%) : ACETIC ACID 99%
O (AMMONIUM HYDROXIDE 25%) : AMMONIUM HYDROXIDE 25%
P (HYDROGEN PEROXIDE 30%) : HYDROGEN PEROXIDE 30%
T (FORMALDEHYDE 37%) : FORMALDEHYDE 37%

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported flocked
Tight glove kind	Unsupported
Inner finition	Flocked
Coating material and finition	Latex pattern
Coating level	Fully coated
Number of layer	Single layer
Thickness	1 mm
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Vendor pack
Color	Orange
Size	8, 9, 10, 11
Type of packaging	Sold individually



Safety gloves

VENIPRO VE450

WORK WITH PROLONGED CHEMICAL RESISTANCE

Thick chemical glove, ideal for heavy handling

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
VE450OR08	Orange	8/9	VENIPRO VE450	3295249011932	13295249011939	120	12	19.0 kg
VE450OR09	Orange	9/10	VENIPRO VE450	3295249011949	13295249011946	120	12	20.9 kg
VE450OR10	Orange	10/11	VENIPRO VE450	3295249011956	13295249011953	120	12	22.1 kg