

VE726 WORKS IN WET ENVIRONMENT

Hand protection



Certifications and norms

CE

Specific benefits

Mechanical glove with good flexibility for working in oily conditions



 \cdot Nitrile means no risk of allergies for users



 \cdot The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Water and waste treatment

Protects against risks





enjoy s

Edit 13/11/2023 www.deltaplus.eu



VE726 WORKS IN WET ENVIRONMENT

Hand protection

Mechanical glove with good flexibility for working in oily conditions

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Aqua-polymere smooth
Coating level	Palm coated
Number of layer	Single layer
Gauge	15
Color	Grey-Black
Size	7, 8, 9, 10, 11
Type of packaging	Sold individually



enjoy s

Edit 13/11/2023 www.deltaplus.eu



VE726 WORKS IN WET ENVIRONMENT

Mechanical glove with good flexibility for working in oily conditions

Safety gloves

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
VE726NO10	Grey-Black	10	VE726	3295249178215	13295249178212	120	12	6.7 kg	



enjoy sa

14/12/2023 www.deltaplus.eu