



Hand protection

VENICUTB03

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove, ideal for use in oily or aqueous environments



Specific benefits



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle



Cost-effective

· User-friendly worksite package, including three pairs for weekly use

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance

Certifications and norms



ANSI ISEA 105

A2

Protects against risks



Cutting



Wearing



Perforation



Hand protection

VENICUTB03

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove, ideal for use in oily or aqueous environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Smooth nitrile
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Color	Grey-Black
Size	6, 7, 8, 9, 10, 11
Type of packaging	Pack of 3



Safety gloves

VENICUTB03

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove, ideal for use in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------