

VENICUT F XTREM CUT - VENICUTF03

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

INTENSE CUT WORK

Hand protection



Certifications and norms



ANSI

ANSI ISEA 105 A6

Specific benefits



 \cdot Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



· Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market

 \cdot The anti-slip properties of the polyure thane coating provides good grip.

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive

Protects against risks







Edit 08/11/2023 www.deltaplus.eu



VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Hand protection

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE F [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove			
Glove family	Knitted coated glove			
Mechanical glove kind	Knitted			
Coating material and finition	PU			
Coating level	Palm coated			
Number of layer	Single layer			
Gauge	13			
Cuff caracteristic	Long cuff			
Cuff length	100 mm			
Benefits element	Reach, Vendor pack, Long cuff (>290mm)			
Color	Grey			
Size	6, 7, 8, 9, 10, 11			
Type of packaging	Sold individually			



enjoy s

Edit 08/11/2023 www.deltaplus.eu



VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

Safety gloves

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	



enjoy s

13/12/2023 www.deltaplus.eu