

Hand protection

EOS NOCUT VV910

LONG-LASTING CUT WORK

Level D cut, impact-resistant glove, ideal for multipurpose work in aqueous or oily environments



Certifications and norms



ANSI

ANSI ISEA 105

Specific benefits



 \cdot Longer service life thanks to a double coating for excellent abrasion resistance



 \cdot Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use

· Hook-and-loop fastener for better wrist support



- · Washable glove, so it can be reused
- \cdot Silicone-free/ DMF-free, leaving no residue on components while limiting allergies
- · DMF-free to reduce the risk of allergies

Technologies & labels

- · DMF-free
- · Silicon-free

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Automotive



Cutting







Wearing









Edit 08/11/2023 www.deltaplus.eu



EOS NOCUT VV910

LONG-LASTING CUT WORK

Hand protection

Level D cut, impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE D [A-F] CUT RESISTANCE ISO 13997 P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

| Glove kind | Special glove | | | |
|-------------------------------|--|--|--|--|
| Glove family | Knitted coated glove | | | |
| Mechanical glove kind | Knitted | | | |
| Special gloves kind | Impact | | | |
| Coating material and finition | Nitrile double layer | | | |
| Coating level | Palm coated | | | |
| Number of layer | Double Layer | | | |
| Gauge | 13 | | | |
| Cuff caracteristic | Velcro cuff | | | |
| Benefits element | Reach, Silicone free, DMF free, Washable, Vendor pack, Azo Free | | | |
| Color | Yellow-Grey-Black | | | |
| Size | 8, 9, 10, 11 | | | |
| Type of packaging | Sold individually | | | |



enjoy s

Edit 08/11/2023 www.deltaplus.eu



Safety gloves

EOS NOCUT VV910

LONG-LASTING CUT WORK

Level D cut, impact-resistant glove, ideal for multipurpose work in aqueous or

oily environments

| Logistics information | | | | | | | | | |
|-----------------------|-------------------|------|--------------------|---------------|----------------|-------------------|------------------|-----------|--|
| Reference | Colour | Size | Designation | EAN13 | Box code | Multiple sales | Minimum sales | Weight | |
| VV910JA08 | Yellow-Grey-Black | 08 | EOS NOCUT VV910 | 3295249191542 | 13295249191549 | 60 | 12 | 14.1 kg | |
| VV910JA09 | Yellow-Grey-Black | 09 | EOS NOCUT VV910 | 3295249191559 | 13295249191556 | 60 | 12 | 13.394 kg | |
| VV910JA10 | Yellow-Grey-Black | 10 | EOS NOCUT VV910 | 3295249191566 | 13295249191563 | 60 | 12 | 14.6 kg | |
| VV910JA11 | Yellow-Grey-Black | 11 | EOS NOCUT VV910 | 3295249191573 | 13295249191570 | 60 | 12 | 13.6 kg | |



enjoy so

14/12/2023 www.deltaplus.eu