



Hand protection

# EOS FLEX CUT D VV922

LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments



## Specific benefits



### Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



### Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



### Hygiene

· Reduces perspiration thanks to its excellent breathability



### Performance

· Flexible reinforcements for added protection against impact and pinching  
· SOFTnocut fiber provides excellent cut resistance

## Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive

## Certifications and norms



EN 407  
X 2 X X X X

## Protects against risks



Heat



Shock



Cutting



Wearing



Hand protection

# EOS FLEX CUT D VV922

LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments

## Standards - Details



### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
X [0-5] CUT RESISTANCE  
4 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997  
P [P] IMPACT RESISTANCE (OPTIONAL)

## Technical details

Color	Black
Mechanical glove kind	Knitted
Coating material and finition	Thermoplastic smooth
Size	8, 9, 10, 11
Glove family	Knitted coated glove
Coating level	Fully coated except wrist
Gauge	15
Number of layer	Single layer
Type of packaging	Sold individually
Special gloves kind	Impact
Glove kind	Special glove



Safety gloves

# EOS FLEX CUT D VV922

LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------