



Fall protection

PROTECTOR TETRA AN15006T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 6 metres



Specific benefits



Performance

· Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

· Automatic carabiners for secure and time-saving locking
· Carrying handle for easy transport
· NFC system guarantees traceability



Durability

· Impact-resistant ABS housing



Visibility

· Visual fall indicator for instant verification that the product is working properly

Applications

- Building
- Maintenance
- Chemical industry
- Petrochemical
- Storage

Certifications and norms

EN360

RFU 11.062
150 KG



Protects against risks



Fall



Fall protection

PROTECTOR TETRA AN15006T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 6 metres

Standards - Details

Technical details

Color	Orange
SIZE	6 m
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Galvanized steel
ARA lenght	6 m
Lifespan from manufacturing	20 years
Included elements	Included energy absorber
Connector (user side)	Small hook, steel, opening 21 mm
Cable diameter	4 mm
Weight	5,6 kg
Type of equipment	Cable reel
Maximum load for one person	150 kg
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface
ARA lenght	236.2206 inch
Locking system	Inertia locking system



PROTECTOR TETRA AN15006T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 6 metres

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN15006T	Orange	6 m	PROTECTOR TETRA AN15006T	3295249195502	13295249195509	1	1	5.7 kg