



Fall protection

# PROTECTOR TETRA AN15010T

## RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 10 metres



### Specific benefits



#### Performance

· Certification above the maximum rated load of 100 kg: product certified at 150 kg



#### Easy to use

· Automatic carabiners for secure and time-saving locking  
· Carrying handle for easy transport  
· NFC system guarantees traceability



#### Durability

· Impact-resistant ABS housing



#### Visibility

· Visual fall indicator for instant verification that the product is working properly

### Applications

- Building
- Maintenance
- Chemical industry
- Petrochemical
- Storage

### Certifications and norms

EN360

RFU 11.062  
150 KG



### Protects against risks



Fall



Fall protection

# PROTECTOR TETRA AN15010T

## RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 10 metres

### Standards - Details

### Technical details

Type of equipment	Cable reel
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Galvanized steel
ARA lenght	10 m
Cable diameter	4 mm
Included elements	Included energy absorber
Color	Orange
Connector (user side)	Small hook, steel, opening 21 mm
SIZE	10 m
Lifespan from manufacturing	20 years
Weight	5,3 kg
Maximum load for one person	150 kg
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface
Locking system	Inertia locking system
ARA lenght	393.701 inch



# PROTECTOR TETRA AN15010T

## RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 10 metres

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN15010T	Orange	10 m	PROTECTOR TETRA AN15010T	3295249195557	13295249195554	1	1	6.0 kg