



Fall protection

PROTECTOR TETRA AN15015T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 15 metres



Specific benefits



Performance

· Certification above the maximum rated load of 100 kg: product certified at 150 kg



Easy to use

· Automatic carabiners for secure and time-saving locking
· Carrying handle for easy transport
· NFC system guarantees traceability



Durability

· Impact-resistant ABS housing



Visibility

· Visual fall indicator for instant verification that the product is working properly

Certifications and norms

EN360

RFU 11.062
150 KG



Applications

- Building
- Maintenance
- Chemical industry
- Petrochemical
- Storage

Protects against risks



Fall



Fall protection

PROTECTOR TETRA AN15015T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 15 metres

Standards - Details

Technical details

Type of equipment	Cable reel
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Galvanized steel
ARA lenght	15 m
Cable diameter	4 mm
Included elements	Included energy absorber
Color	Black-Orange
SIZE	15 m
Lifespan from manufacturing	20 years
Weight	6,5 kg
Maximum load for one person	150 kg
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface
Locking system	Inertia locking system
ARA lenght	590.5515 inch



PROTECTOR TETRA AN15015T

RETRACTABLE FALL ARRESTERS

Self-retractable cable fall arrester for distances of up to 15 metres

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN15015T	Black-Orange	15 m	PROTECTOR TETRA AN15015T	3295249195595	13295249195592	1	1	6.7 kg