



Fall protection

# AN235200PR

## ENERGY ABSORBING LANYARDS

Lanyard with dielectric energy absorber made of elastic webbing, allowing protection against electrical risks



### Specific benefits



#### Hygiene

- Harnesses and textiles can be washed with neutral soap



#### Performance

- Certification above the maximum rated load of 100 kg; product certified at 140 kg
- Strap with improved abrasion resistance and certified for use on sharp edges



#### Easy to use

- Ergonomic design facilitating user movements
- Automatic carabiners for secure and time-saving locking

### Certifications and norms

EN355



### Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

### Protects against risks



Fall



Fall protection

# AN235200PR

## ENERGY ABSORBING LANYARDS

Lanyard with dielectric energy absorber made of elastic webbing, allowing protection against electrical risks

### Standards - Details

### Technical details

Type of equipment	Elastic strap with thimble loops
Composition of the main support	Plastic, Polyester
With connector	yes
Color	Black-Red
Connector (user side)	Small hook made of insulating material
SIZE	1.40 ► 2 m
Ending	2 sewn thimble loops
Connector (structure side)	1 big hook made of insulating material
Lifespan from manufacturing	10 years
Weight	1,2 kg
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)



Fall protection

# AN235200PR

## ENERGY ABSORBING LANYARDS

Lanyard with dielectric energy absorber made of elastic webbing, allowing protection against electrical risks

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN235200PR	Black-Red	1.40 2 m	AN235200PR	3295249202309	13295249202306	5	1	7.2 kg