



Fall protection

AN513180JWW

ENERGY ABSORBING LANYARDS

Fall arrester with energy absorber in elastic double lanyard webbing (Y). Thimble loops. Equipped with 1 carabiner + 2 hooks



Specific benefits



Easy to use

· NFC system guarantees traceability

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance

Certifications and norms

Protects against risks



Fall



Fall protection

AN513180JWW

ENERGY ABSORBING LANYARDS

Fall arrester with energy absorber in elastic double lanyard webbing (Y). Thimble loops. Equipped with 1 carabiner + 2 hooks

Standards - Details

Technical details

Type of equipment	Energy absorber in lanyard webbing
Composition of the main support	Steel, Polyester
Length	1.8 m
With connector	yes
Color	Black-Yellow
SIZE	1,8 m
Weight	2.6 kg
Type of packaging	Box of 5
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)



AN513180JWW

ENERGY ABSORBING LANYARDS

Fall arrester with energy absorber in elastic double lanyard webbing (Y).

Thimbleloops. Equipped with 1 carabiner + 2 hooks

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN513180JWW	Black-Yellow	1,8 m	AN513180JWW	3295249219604	13295249219601	5	1	13.5 kg