



ELARA210

KITS

Scaffolding fall arrest set, harness and energy absorbing lanyard

Fall protection



Specific benefits



Performance

· Certification above the maximum rated load of 100 kg: product certified at 140 kg



Easy to use

· NFC system guarantees traceability

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance

Certifications and norms

EN355

EN361

140 KG

Protects against risks



Fall



ELARA210

KITS

Scaffolding fall arrest set, harness and energy absorbing lanyard

Fall protection

Standards - Details

Technical details

Color	Yellow-Black
Composition of the main support	Steel, Polyester
Size	S, M, L , XL, XXL
Total number of attachment points for the fall arrester	1
Anti-fall point	Dorsal
Weight	2.8 kg
Type of equipment	"Construction" fall arrester set
Lock	Automatic system
Fall arrest work situations	Vertical movement on a permanent structure, Restraint, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



ELARA210

KITS

Scaffolding fall arrest set, harness and energy absorbing lanyard

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
ELARA210GT	Yellow-Black	S/M/L	ELARA210	3295249240134	13295249240131	10	1	26.7 kg
ELARA210XX	Yellow-Black	XL/XXL	ELARA210	3295249240141	13295249240148	10	1	25.98 kg