



Fall protection

LV102050

ANCHORAGE DEVICES

0.5 metre extension strap for easy extraction of a victim



Specific benefits



Durability

· High webbing tenacity thanks to its weave and width

Applications

- Agriculture
- Finishing works / Craftsmanship
- Chemical industry
- Automotive
- Oil & Gas (extraction)
- Mining

Certifications and norms

EN354



EN 795

TYPE B

Protects against risks



Fall



LV102050

ANCHORAGE DEVICES

0.5 metre extension strap for easy extraction of a victim

Fall protection

Standards - Details

Technical details

| | |
|---------------------------------|---|
| Type of equipment | Extension strap in high tenacity polyester with D-ring. |
| Composition of the main support | Steel, Polyester |
| Strap width | 45mm |
| Length | 0,5 m |
| Width | 1.7685 inch |
| Width | 45 mm |
| Color | Black-Orange |
| SIZE | 0,50 m |
| Ending | Loop with shrinkage |
| Lifespan from manufacturing | 10 years |
| Weight | 0,300 kg |
| Fall arrest work situations | Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m) |



LV102050

ANCHORAGE DEVICES

0.5 metre extension strap for easy extraction of a victim

Fall protection

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | Multiple sales | Minimum sales | Weight |
|-----------|--------|------|-------------|-------|----------|----------------|---------------|--------|
|-----------|--------|------|-------------|-------|----------|----------------|---------------|--------|