



Fall protection

IPN LV130

ANCHORAGE DEVICES

Temporary anchorage device for IPN structures with wheels that allow the anchorage to be slid away



Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)
- Mining

Certifications and norms



EN 795
TYPE B

Protects against risks



Fall



Fall protection

IPN LV130

ANCHORAGE DEVICES

Temporary anchorage device for IPN structures with wheels that allow the anchorage to be slid away

Standards - Details

Technical details

Color	Steel
SIZE	Adjustable
Composition of the main support	Aluminum, Steel, Stainless steel, Polyester
Lifespan from manufacturing	20 years
Fastening	Zipper fastening
Weight	4,251 kg
Type of equipment	Interim anchorage device with wheels
Fall arrest work situations	Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Long horizontal movement on vertical structure



Fall protection

IPN LV130

ANCHORAGE DEVICES

Temporary anchorage device for IPN structures with wheels that allow the anchorage to be slid away

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------