



Fall protection

SPEEDLINE LV201

ANCHORAGE DEVICES

2 to 20 metre long temporary webbing lifeline, allowing to secure 2 simultaneous users, very easy to install with tensioner



Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Forestry
- Storage

Certifications and norms



EN 795

TYPE B
TYPE C

Protects against risks



Fall



Fall protection

SPEEDLINE LV201

ANCHORAGE DEVICES

2 to 20 metre long temporary webbing lifeline, allowing to secure 2 simultaneous users, very easy to install with tensioner

Standards - Details

Technical details

Type of equipment	Temporary horizontal lifeline
Composition of the main support	Polyester
Strap width	50 mm
Length	20 m
Fastening	Screw
Color	Yellow
SIZE	2.50 to 20 m
Lifespan from manufacturing	20 years
Weight	3,8 kg
Fall arrest work situations	Movement on lifeline, Restraint, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)



Fall protection

SPEEDLINE LV201

ANCHORAGE DEVICES

2 to 20 metre long temporary webbing lifeline, allowing to secure 2 simultaneous users, very easy to install with tensioner

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------