

LVA050

ANCHORAGE DEVICES

Anchorage lanyard in high tenacity polyester strap. 2 steel anchor D.



Certifications and norms

Specific benefits



Hygiene

· Harnesses and textiles can be washed with neutral soap



Easy to use

· NFC system guarantees traceability



Durability

· High webbing tenacity thanks to its weave and width

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry

Protects against risks









LVA050

ANCHORAGE DEVICES

Anchorage lanyard in high tenacity polyester strap. 2 steel anchor D.

Standards - Details

Technical details

Color	Yellow-Black			
Composition of the main support	Steel, Polyester			
Length	1.8 m			
Weight	0.5 kg			
Type of equipment	Work positioning system			
Type of packaging	Pack of 5			
Fall arrest work situations	Vertical movement on a permanent structure, Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)			







LVA050

ANCHORAGE DEVICES

Anchorage lanyard in high tenacity polyester strap. 2 steel anchor D.

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	



