



Head protection

# M1300V2

## DISPOSABLE RESPIRATORY

P3 disposable mask with valve



### Specific benefits



#### Comfort

· Ultra-soft full facial seal for an increased comfort and optimal sealing



#### Performance

· High performance exhalation valve for a better evacuation of moisture and heat for extended comfort of use



#### Easy-to-use



#### Compatibility

· Designed nose piece for a fully compatibility with our safety eyewear

### Certifications and norms

EN 149  
FFP3 NR



### Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Accommodation & Food services
- Maintenance

### Protects against risks



Biological



Particules



Head protection

# M1300V2

## DISPOSABLE RESPIRATORY

P3 disposable mask with valve

### Standards - Details

### Technical details

Free ventilation mask	Disposable mask
Conditionning	10 unit
Nose pliers material	Steel
Nose pliers material	Steel
Mask material	Synthetical nonwoven
Nose pliers characteristics	External
Nose pliers characteristics	External
Risk protection	Particules, Dolomite
Valve	yes
Use	NR
Maximum lifespan	5 years
Benefits element	Adjustable, Staples free, Graphene free
Quantity / Maximum sales	10
Disposable mask	Molded
Fastening	Bridles
Respiratory protection type	Free ventilation mask
Weight	217 g
Dolomite	yes



Head protection

# M1300V2

DISPOSABLE RESPIRATORY

P3 disposable mask with valve

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------